

Test Name:	Geenius HIV ½ Supplemental Assay
Test Methodology:	Immunochromatographic test for the confirmation and differentiation of individual antibodies to HIV-1 and HIV-2
Test to be Performed:	HIV Geenius
CPT:	86701, 86702
Reflex Testing Criteria:	HIV Antibody negative results for samples previously reactive in HIV Combo EIA assay will be reflexed to HIV-1 Qualitative
Pre-Approval Required:	N/A
Accepted Specimens:	Serum (serum tube or SST)
Specimen Stability:	Samples should be tested within 7 days of collection. Samples may be stored for up to 2 days at room temperature. Optimum storage: 2-8°C. For samples that require longer than 7 days storage, serum must be removed from the red cells and stored at -20°C or below. Samples should not be used if they have more than 5 freeze-thaw cycles.
Storage/Transport Conditions:	Specimens should be stored and transported at 2-8°C. Sufficient frozen cold packs in an insulated cooler can be used to maintain this temperature. Specimens may be transported at room temperature (15-25°C) if delivered to the lab within 48 hours from collection time.
Turnaround Time:	10 business days
Reference Range:	HIV Antibody Negative
Comments:	Reflex after repeatedly reactive HIV Combo EIA. Do not order for patients screening.